





# **TEGERA**® 186



Learn more

## SECURE PROTECTION AGAINST MANY CHEMICALS.

A versatile chemical-resistant glove in  $0.38 \, \text{mm}/14.9 \, \text{mils}$  thin nitrile, suitable for everything from household to chemical industry. Excellent grip due to the raised diamond pattern. Latex-free.  $10 \, \text{pairs/bundle}$ .  $100 \, \text{bundle/carton}$ .

## **CHARACTERISTICS**

- High level of protection
- Durable
- Good grip

## **FUNCTIONS**

- · Approved for handling foodstuffs
- Waterproof
- Protection against chemicals
- Latex-free
- Phthalate-free
- Oil and grease resistant

#### PREVENTS RISK OF

Corrosive injuries, contact with dirt, contact with chemicals, contact with oil and fat

#### PRIMARY ENVIRONMENTS OF USE

Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, oily and greasy environments, dirty environments, harsh environments

### PRIMARY AREAS OF USE

Agricultural work, chemical technology work, chemical work, cleaning, foodstuff handling, laboratory work, paint spraying work, painting, paper industry work, tiling

#### PRIMARY INDUSTRIES OF USE

Agriculture, oil, gas, petrochemical, food processing, pulp and paper, chemical, rubber and plastic, automotive, facilities

#### TYPE OF WORK

Medium weight

#### **CHEMICAL RESISTANCE**

According to EN16523-1:2015. For details, please contact Ejendals.

#### **SPECIFICATION**

TYPE Chemical protection gloves

**CATEGORY** Cat. III

THICKNESS 0,38 mm

LENGTH 310 mm

**DEXTERITY** 5

**INSIDE** Flock-lined

**GRIP DESIGN** Diamond grip pattern

**COLOUR** Green

PAIRS PER: BUNDLE/CARTON 10/100

**AQL** 0.65

**DISPLAY TYPE** Bag with euro slot

**DIPPING MATERIAL** Nitrile

**INNER MATERIAL SPECIFICATION** Cotton

**OUTER MATERIAL SPECIFICATION** Nitrile

### **COMPLIANCE**







TP TC 019:2011





EN ISO 374-1:2016/A1:2018 Type

AJKLOT

EN ISO 374-5:2016

388:2016+A1:2018

EN ISO 21420:2020

#### **FEATURES**





Chemical protection

### TEST ACCORDING TO EN ISO 374-1:2016

Tested chemical	Α	J	K	L	0	T
Permeation level	2	6	6	3	4	6
Degradation %	71,5	17,7	5,4	46,2	6,9	8,3

SIZE		ARTICLE NUMBER	EAN
7	S	186-7	7392626035041
8	М	186-8	7392626035058
9	L	186-9	7392626035072
10	XL	186-10	7392626035089
11	XXL	186-11	7392626035096
12	3XL	186-12	7392626037458



Limavägen 28, SE-793 32 Leksand, Sweden Phone +46 (0) 247 360 00 | info@ejendals.com | order@ejendals.com