



TEGERA® INFINITY 8804R



[Learn more](#)

FULLY DIPPED, DOUBLE COATED PALM

Precision work glove with a unique feeling and high dexterity for jobs in greasy and oily environments. Ultra light thanks to 18 gg knitting. Fully dipped with microfoam coated palm for better grip performance. Withstands contact heat up to 100°C/212°F. Anatomically designed, passes Derma-tests and has Oeko-Tex certificate. Retail packed with descriptive hangtag to help customers with their in-store choice.

CHARACTERISTICS	FUNCTIONS
<ul style="list-style-type: none"> • Durable • Extremely good fingertip sensitivity • Extra flexible • Extra comfortable • Good grip 	<ul style="list-style-type: none"> • Withstands contact heat up to 100°C • Approved for handling foodstuffs • Oil and grease resistant • Thin

PREVENTS RISK OF

Abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, chapping, contact with moisture, contact with oil and fat

PRIMARY ENVIRONMENTS OF USE

Moist environments, oily and greasy environments, dirty environments

PRIMARY AREAS OF USE

Fine assembly, assembly, machine operating, building and construction, carpentry, installation work, hvac installation, engineering, transport work, machine driving, warehouse work, airport work, repair work, service work, shop work

PRIMARY INDUSTRIES OF USE

Machinery and equipment, mro, automotive, transportation, utilities, building and construction, logistics, facilities, service, retail

TYPE OF WORK

Light weight

SPECIFICATION

TYPE Heat protection gloves, Precision work gloves

CATEGORY Cat. II

COLLECTION Infinity

LINING MATERIAL Nylon, 18 gg, Spandex

LENGTH 230-270 mm

DEXTERITY 5

GRIP DESIGN Foam grip pattern

COLOUR Black, Yellow

PAIRS PER: BUNDLE/CARTON 6/72

DISPLAY TYPE Hangtag with euro slot

DIPPING Fully dipped, Double-dipped

DIPPING MATERIAL Nitrile, Nitrile foam, Waterbased PU

CUFF STYLE Knitwrist cuff

CUFF MATERIAL Textile


INNER MATERIAL SPECIFICATION Nylon, Elastane

OUTER MATERIAL SPECIFICATION Nitrile


COMPLIANCE



TP TC 019:2011



EN ISO 21420:2020



Contact heat rating valid for palm area only

SIZE		ARTICLE NUMBER	EAN
7	S	8804R-7	7340118368634
8	M	8804R-8	7340118368726
9	L	8804R-9	7340118368818
10	XL	8804R-10	7340118368900
11	XXL	8804R-11	7340118368993

ejendals

Limavägen 28, SE-793 32 Leksand, Sweden
Phone +46 (0) 247 360 00 | info@ejendals.com | order@ejendals.com