TEGERA®



Great fingertip sensitivity, palm dipped. For fine assembly work in dry environments.

TEGERA® INFINITY 8807W



Learn more

SUPER SOFT, THIN GLOVE, CUT LEVEL D

Dexterous, thin glove with cut resistant level D, suitable for fine assembly work. 15 gg knitted with CRF $^{\circ}$ cut resistant technology. Palm dipped with super soft nitrile foam that provides excellent grip on dry surfaces. Reinforced thumb crotch for improved longevity. Without backhand-printing. Breathable materials for all day comfort. Protection against contact heat up to 100° C/ 212° F. Wide range of sizes means a perfectly fitting glove for everyone. Skin friendly with Derma-test and Oeko-Tex certificate.

CHARACTERISTICS

- High level of protection
- Good fingertip sensitivity
- Good grip
- Extra comfortable
- Flexible
- Durable

FUNCTIONS

- Withstands contact heat up to 100°C
- Approved for handling foodstuffs
- Thin
- Reinforcement between index finger and thumb



PREVENTS RISK OF

Cut injuries, abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, drying out, chapping

PRIMARY ENVIRONMENTS OF USE

Cut risk environments, dry environments, moist environments, dirty environments

PRIMARY AREAS OF USE

Fine assembly, assembly, machine operating, building and construction, carpentry, installation work, hvac installation, sheet-metal work, engineering, transport work, machine driving, warehouse work, airport work, metalwork, glass industry work, repair work, paper industry work, service work, shop work

PRIMARY INDUSTRIES OF USE

Pulp and paper, metal fabrication, machinery and equipment, mro, automotive, transportation, utilities, building and construction, logistics, facilities, service, retail

TYPE OF WORK

Medium weight

SPECIFICATION

TYPE Cut resistant gloves, Heat protection gloves

CATEGORY Cat. II

COLLECTION Infinity

LINING MATERIAL 15 gg, CRF° Technology, Glass fibre thread, HPPE,

Nylon, Spandex

LENGTH 205-265 mm

DEXTERITY 5

GRIP DESIGN Foam grip pattern

COLOUR Black, Yellow

PAIRS PER: BUNDLE/CARTON 6/120

DISPLAY TYPE Bulk pack

DIPPING Palm-dipped

DIPPING MATERIAL Nitrile foam, Waterbased PU

CUFF STYLE Knitwrist cuff

CUFF MATERIAL Textile

CUT RESISTANCE (EN ISO 13997) Cut resistance level D

CUT RESISTANCE (EN ISO 13997) TDM: 17 N

INNER MATERIAL SPECIFICATION HPPE (High performance

polyethylene), Nylon, Glass fibre thread, Elastane

OUTER MATERIAL SPECIFICATION Nitrile

COMPLIANCE





Cat. I



TP TC 019:2011

information/UIS



EN 407:2020 (No flame protection)

EN 388:2016+A1:2018 4X43D EN ISO 21420:2020







Contact heat rating valid for palm area only

FEATURES



SIZE		ARTICLE NUMBER	EAN
5	XXS	8807W-5	7340118372280
6	XS	8807W-6	7340118372341
7	S	8807W-7	7340118372402
8	М	8807W-8	7340118372464
9	L	8807W-9	7340118372525
10	XL	8807W-10	7340118372587
11	XXL	8807W-11	7340118372648



Limavägen 28, SE-793 32 Leksand, Sweden Phone +46 (0) 247 360 00 | info@ejendals.com | order@ejendals.com