



jalas[®] **EXALTER**² **vibram**[®]

JALAS[®] 9568 EXALTER 2

EN ISO 20345:2011, S3, SRC, HRO

PROPERTIES Highest level of protection, excellent grip, perfect fit, extra comfortable, excellent shock absorption, light

PRIMARY ENVIRONMENTS OF USE Outdoors, indoors, environments with risk for outsole penetration, clean environments

FEATURES Low weight, heat-resistant outsole, oil-resistant outsole, anti-static properties, ventilating insole, stabilizer, water repellent, ergonomically shaped, double shock absorption zones, conforms with IEC 61340-5-1 (ESD), good environmental choice, vegan

UPPER MATERIAL Microfiber, Textile

SOLE MATERIAL PU midsole, plastic shank, rubber outsole

INSOLE FX3 Exalter

FITTING Regular

SIZE RANGE (EU) 36-47

CE



Aluminium toecap



Ergothan Shock Absorption System



Nail protection in plasma-treated composite (PTC) textile



Stabilizer



Heat-resistant outsole



Anti-static properties



Water repellent



ESD



Oil-resistant outsole



jalas[®] **EXALTER**² **vibram**[®]

JALAS[®] 9568 EXALTER 2

EN ISO 20345:2011, S3, SRC, HRO

PROPERTIES Highest level of protection, excellent grip, perfect fit, extra comfortable, excellent shock absorption, light

PRIMARY ENVIRONMENTS OF USE Outdoors, indoors, environments with risk for outsole penetration, clean environments

FEATURES Low weight, heat-resistant outsole, oil-resistant outsole, anti-static properties, ventilating insole, stabilizer, water repellent, ergonomically shaped, double shock absorption zones, conforms with IEC 61340-5-1 (ESD), good environmental choice, vegan

UPPER MATERIAL Microfiber, Textile

SOLE MATERIAL PU midsole, plastic shank, rubber outsole

INSOLE FX3 Exalter

FITTING Regular

SIZE RANGE (EU) 36-47

CE



Aluminium toecap



Ergothan Shock Absorption System



Nail protection in plasma-treated composite (PTC) textile



Stabilizer



Heat-resistant outsole



Anti-static properties



Water repellent



ESD



Oil-resistant outsole